Regents Chemistry - Part 1 Measurement

Contained inside are all of the notes that you will need to bring to class every day. You will fill them all in, during class, or outside of class, with the help of our slideshows. If you ever forget these notes, get some paper and take your notes the "old fashioned way" and then fill these in later.

You need your reference tables every day too, and a calculator. I have lots of reference tables and some calculators too, but mine are ugly.

Pencils are better because you will make a lot of boo boos.

Don't just sit there and be passive, learn.

| 1. | | | | |
|-----|--|---|--|--|
| 2. | What is the chemistry formula for water? | | | |
| 3. | The H stands for the element | which happens to be element # | | |
| | The O stands for the element | | | |
| 5. | The "little 2" means that there are | | | |
| 6. | There is no "little 1" by the oxygen, why not? | | | |
| 7. | Both hydrogen and oxygen are special elements in that they do not pure, not bonded to other atoms. Their real formula would be and because they are DIATOMI | | | |
| | and because they are DIATOMIC elements, which means that they are paired together when they are pure, when they are in their "elemental" state. | | | |
| 8. | The skeleton formula for the synthesis reaction that combines H_2 + | O ₂ to form water is written this way: | | |
| 9. | The arrow means: | | | |
| 10. | It's pretty obvious that we are missing one atom of oxygen on the reto "lose" matter like this? | right side of the arrow. Are we allowed | | |
| 11. | There is something called the LAW OF CONSERVATION OF MA | ATTER which is written this way: | | |
| 12. | So there must be a bit more to the reaction, since we can't lose ever balanced, then copy the balanced chemical reaction below | n a single atom. Watch how it's | | |

Day One Welcome and Let's start learning Copy the objective of today's class in blank #1.

Keep filling in the blanks.

| 13. Skip this nur | mber, ok? | | | | |
|--|--|--|---|--|---|
| | out 16 different kinds THESIS, which | of chemical reactions | that we will learn | about this year. | This one is |
| means comb | ining 2 or more | | into the | | |
| 15. In this reacti | on there are 2 reactant | ts, who's names are | | + | |
| 16. There is only | y one product, which h | nas a science name of _ | | | |
| but we can c | all it | too. | | | |
| surprise you too. blast past your h Try not to blink! The butane light fast, really loud | Look at this photo, the ands. Let the sound be This will look a lot liver is combusting. The SYNTHESIS. When a | ergy, a FIREBALL of that's how you will propounce off of the wall be ike burning, which is conducted a combine energy is released in a faction" will look like the | otect your ears. Lo behind you, and the casual talk for CO oustion reaction, be chemical reaction | et the sound hit young then catch it with young the balloon will but the balloon will be the sound the balloon will be the sound the balloon will be the balloon will be the balloon will be the sound the sou | our face, and vour hands. tit's not that. |
| Let's watch, try | not to blink, and prom | nise me that you will te | ell your families a | bout your first da | y of chemistry! |
| | ole1st Day Handout, y | your parents NEED to l | | | |

C. Get pencils, a calculator, and if you can a really big loose leaf binder to hold all of your old notes. We will retire everything once we are done with the topic. You will save them all, in order, to study for the 1st quarter cumulative celebration of knowledge, the Midterm, and the Regents Examination next June.

D. Get psyched, we are going to learn A LOT and we're going to have fun too. I can't wait.

| Measurement Class #1 | Percent Error | and Density |
|----------------------|---------------|-------------|
|----------------------|---------------|-------------|

Objective: Learning about Percent Error and how to make Density Calculations.

| When we measure in chemistry we need to make the best measurements we can. We will try to be | | | | |
|---|--|--|--|--|
| 18. ACCURATE | | | | |
| | | | | |
| | | | | |
| 19. We will also try to be PRECISE: | | | | |
| | | | | |
| 20. Mostly we'll try to be BOTH accurate and precise. | | | | |
| 21. Our measurements are called the values. | | | | |
| | | | | |
| 22. The real measurements, the truth, which we usually get from science tables are called the | | | | |
| values. | | | | |
| | | | | |
| 23. Take out a ruler and measure this page top to bottom in centimeters. My measure is cm. | | | | |
| 24. Measure it again to the nearest 10th of a centimeter now cm. | | | | |
| | | | | |
| 25. The actual length is 27.9 cm. How far "off" was your measurement in cm? | | | | |
| Γhat boo boo is called your ERROR, which is vocabulary but we won't use it much ever again. | | | | |
| That boo boo is cance your ERROR, which is vocabulary but we won't use it much ever again. | | | | |
| 26. What we really want to use to measure how close we measured to accurate - THAT is called percent error. | | | | |
| Write the formula for percent error in the box at left. It's on the back of your reference table. Below, we'll write it out in short hand. You must know both. Don't forget the % sign after the 100! | | | | |
| Delow, we'll write it out in short hand. Tou must know both. Don't lorget the 70 sign after the 100: | | | | |
| | | | | |
| | | | | |
| | | | | |
| % Error = | | | | |
| | | | | |
| | | | | |
| | | | | |

| 27. | '. Let's calculate your percent error on this measurement. If you happened to get 27.9 cm exactly, goo for you, use 28.3 cm instead. Write the formula again, shorthand style. | | | | |
|-----|--|--|--|--|--|
| 28. | Let's use your eyes to measure the mass of the teacher in POUNDS. My measure his mass to be | | | | |
| | pounds. According to the LOUSY school scale, the actual value is pounds. | | | | |
| 29. | Calculate your percent error, write the formula in shorthand first. | | | | |
| 30. | If your %E is positive, that means your measured value | | | | |
| 31. | If your %E is negative, that means your measured value | | | | |
| | If you have no sign, positive or negative, that means Percent error ALWAYS gets a sign, or else | | | | |
| | | | | | |

| 34. You measure the density of Cu to be 8.75 g/cm ³ . What element is this, what is the density of this element (and how did you figure that out?) |
|---|
| 35. Write the percent error formula in shorthand, calculate your percent error carefully. Get a SIGN too! |
| |
| |
| 36. Is your measured value in this problem more than or less than the actual value? |
| Does your percent error sign make sense? |
| 37. The formula for Density is on the back of the reference table. Copy it now, then in short hand. |
| |
| |
| Density = D = |
| 38. A bar of metal is 27.73 g and has volume of 4.70 cm ³ . Is it gold? (start with a formula, look at table S) |
| |
| 39. What metal might it be instead? |
| 40. You measure a hunk of aluminum to be 363 grams and have volume of 148 mL. What is your measured density? What is your percent error? |
| |
| |

| Measurement Class #2 Ter | mperature Conversions, Centigrad | le and Kelvin (and NOT Fahre | enheit) | | | |
|--|---|------------------------------|---|--|--|--|
| | way to say Celsius, but centi-ren nelting ice to boiling water tempe | | | | | |
| 42. Another scientific tem | perature scale is called the | scale. It's named | l after a guy named | | | |
| Lord | Lord, no relation to Lord Vader from Star Wars. | | | | | |
| 43. There are 100 units of Temperature Scale too |). | | ng water temperature. It's a Metric OT USE degrees, just | | | |
| 44. Let's fill in this chart i | now (even with the F scale). | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| Water Boils | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| Water Freezes | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| ⊜? | | | | | | |

| | Pros | Cons | | | |
|---|---|--|--|--|--|
| Fahrenheit | | | | | |
| Centigrade or Celsius | | | | | |
| Kelvin | | | | | |
| To convert from Centigrade to Kelvin, or from Kelvin to Centigrade, we use the SAME formula. It's on the back of the reference table, let's copy it now. Write it big, like you care. | | | | | |
| 45. The boiling p | point for water is 100°C. Convert that to Kel | vin, use a formula. | | | |
| 46. The melting p | point of iron is Kelvin. Con | nvert that to centigrade with a formula. | | | |
| 47. Chlorine gas Is this COLI | boils at Kelvin. Con O or HOT? Explain what you mean | vert to centigrade with a formula. | | | |

| 48. | You have 416 cm ³ of iron. What is it's mass? (hint, write density formula, fill it in neatly) |
|-----|---|
| 49. | You measure the density of gold to be 19.7 g/cm ³ . What is your percent error? |
| 50. | You measure the melting point of lead to be 615 Kelvin. What is your percent error? |
| 51. | You measure 18.25 grams of silver on the scale. What is the volume of this silver? |
| 52. | Convert the room temperature of 26.0°C into Kelvin. Round to three digits. |
| 53. | You measured the density of pure water to be 0.975 g/cm³, but everyone knows that water's density is exactly 1.00 g/cm³. What's your percent error? |
| | |

Measurement Class #3 Significant Figures

Significant figures are all of the numbers that you MEASURE that are important. There is a difference between what you measure and what you look up on a table, or even what you already "know".

They are the numbers that mean something, that are not place holders. They are used to figure out how many places we are allowed to round our calculator answers to. Just because the calculator says something does not make it real. The SF will control how many places your real answers are allowed to have. There are several easy rules, which you will have to master.

For each of these measures, we will write how many SF are present, and what rule applies.

62. Let's look over these measurements, and write the number of SF present. The first one is an example

| 54 | 127.25 grams | 5 SF | All digits that are not zeros are significant | |
|----|-------------------------------|------|--|--|
| 55 | 107.25 grams | | All digits are significant, any zero that is IN BETWEEN SF is also significant | |
| 56 | 0.625 meters | | "Leading" zeros are not SF. From the left, the first SF is a digit | |
| 57 | 100. grams | | Because of the decimal point, that last zero is a SF. The zero in the middle is between SF | |
| 58 | 100 meters | | No decimal, the last zero is not a SF, the middle one is not between SF | |
| 59 | 2.245 x 10 ⁴ atoms | | we only have SF in the coefficient, or front part of scientific notation | |
| 60 | 14.50 grams | | a zero at the "end" of a number and AFTER a decimal point is a SF | |
| 61 | Density of water is 1.00 g/mL | | Unlimited SF means that with an equality that you will use in a math problem, or numerical facts from tables will not limit your answer, but your measurements will. | |

| 200. grams of Mg | 35.66 grams Cu | 100 cm | 100. mm | 4,005,033 atoms |
|--|---|--|-----------------------------------|---------------------------------|
| 3 SF | | | | |
| 0.552°C | 1.552°C | 10.552°C | 23.00552°C | 6.02×10^{23} atoms |
| 1.00 g/mL | 1.000 g/mL | 1.00000 g/mL | 0.0000005 grams | 3.550 x 10 ⁻¹⁷ grams |
| The answer to a density problem with mass of 125 grams and volume of 35 mL | Calculate density with mass of 1025 gm + volume of 350 mL | The temperature in K when you convert 24.5°C → Kelvin. | the answer of 2.5 cm ³ | $x 5.6788 \text{ g/cm}^3 =$ |
| If there are 454 grams = 1 grams in 3.750 pounds when the state of the | • | The equality of 1000 gran | ns = 1 kilogram | 12.00 inches |

| 63. | You measure the density of nickel metal to have density of 9.1 g/cm ³ . | What is your % Error with the |
|-----|--|-------------------------------|
| | correct number of SF? | |

- 64. You measure your floor to be 14.5 feet X 15 feet and you want a rug. How big of a rug do you need in square feet? (SF count)
- 65. You measure the mass of metal to be 74.35 grams and it's volume to be exactly 12.0 mL. What is the density of this metal with correct SF?
- 66. You know that 12 inches = 1 foot, how many inches are in 8,375 feet? (SF count!)

| 67. How many SF are in these measurements? | 0.0000164 g/cm ³ (density of a gas) | 7180 K (melting point) |
|--|--|------------------------------|
| 303 K (a melting point) | 3560. K (a boiling point) | 640 grams (mass of a liquid) |

Sig Figs, or SF are the highest value topic of the year. SF are in all lab reports from now on, they're on every celebration and midterm, most HW and most classwork assignments. You will be measuring all sorts of stuff, and doing all types of calculations all year long. Figuring out the RIGHT answer requires you to follow the rules of SF. Learn SF or else.

Measurement Class #4 Dimensional Analysis or Math Conversions

Converting from one unit to another is going to happen a lot in chemistry. We already have done conversions between Kelvin and centigrade, and converted mass and volume into density. But other conversions will need to be done as well. Some are easy, one step conversions, but some are multiple step, and require this "technique" of dimensional analysis, which is just scary talk for unit conversion math. Here goes.

| | mensional analysis | | 1 | | 1 1 | 1 |
|--------------------------------------|-------------------------------|--------|-------------------------|-------------|-------------------|-------------------------|
| Nothing says LO mensional analys | | zen ro | oses. How many ro | ses are a d | lozen? | there, you did di- |
| How many roses | are in 3 dozen rose | es? | Ha, again | You con | verted dozens of | roses into roses. |
| If $12 \text{ inches} = 1 \text{ f}$ | oot, how many incl | hes ar | e in 4.0 feet? | a | nother conversion | n, from feet to inches. |
| 68. Let's look at "over 1" as a | what your brain was fraction. | as doi | ng. First you decid | le your "st | arting point" and | put that number |
| Y | our starting point | X | Your conversion fa | ctor = | Your answer with | proper SF |
| | | X | | = | | |
| | 2 SF | | Unlimited SF | | Limited to 2 SF | |
| 69. Convert 1.24 | kilograms into gra | ıms (| (1 kg = 1000 g). (w) | vatch SF) | | |
| 70. Convert 56,7 | 750 mL into liters (| 1 L= | 1000 mL). (watch | SF) | | |

71. Assume you are EXACTLY 16.33 years old right NOW. Convert that into minutes.

72. Convert the 400. meter race into yards so the football players can easily compare that length to their field. l inch = 2.54 centimeters

73. Below are a set of equalities that are meaningless. This problem is to practice finding your "starting point" and cancelling out units properly, to get the right answer. This is mental exercise and you should take it as a personal challenge.

How many blinks are in 244 winks? (round to the nearest whole blink)


74. It's exactly 7.10 miles to Binghamton High School from Vestal High School according to mapquest.com

Convert that distance into meters. (1 inch = 2.54 cm 1 mile = 5280 feet 100 cm = 1 m)

| 6.02×10^{23} atoms is one mole of atoms or | the density of helium is 1.64 x 10 ⁻⁴ grams/mL | | | | |
|--|---|--|--|--|--|
| The front part of the number is called the coefficient, and the back part is called the power of ten. | | | | | |
| In our class the RULE for scientific notation is that the coefficient MUST BE greater than 1 but less than 10. | | | | | |
| If your math works out differently, you must adjust your answer to an equivalent answer in the proper form. | | | | | |
| Converting big and small numbers into scienting | fic notation first. | | | | |
| 75. 17,000,000,000 ants | 76. 6,374,000 meters | | | | |
| 77. 0.034 gram | 78. 0.00000000154 meters | | | | |
| 79. 0.0000083 meters | 80. 4,500,000,000,000,000,000,000 years | | | | |
| Convert scientific notation into numbers | | | | | |
| 81. 6.02 x 10 ²³ molecules | 82. 3.5 x 10 ⁴ grams | | | | |
| 83. 1.25 x 10 ⁻⁷ meters | 84. 2.290 x 10 ³ Kelvin | | | | |
| 85. Convert 36.8 kilograms into ounces, your (hints: 454 g = 1 pound = 16 ounces) (1k | | | | | |

Measurement Class #5 Scientific Notation for fun and personal enjoyment

Really big and really small numbers are often presented in scientific notation, and look like this:



Rules to use scientific notation in math problems...

Multiplication Rule for Scientific Notation:

87.
$$(3 \times 10^5)(2 \times 10^2) =$$

88.
$$5.0 \times 10^4$$

 $\times 3.0 \times 10^2$

Division Rule for Scientific Notation:

89.
$$3.0 \times 10^4$$

 2.0×10^2

90.
$$9.0 \times 10^5$$

 3.0×10^3

91. Addition Rules for scientific notation:

92.
$$6.5 \times 10^7 + 2.2 \times 10^7$$

93.
$$6.2 \times 10^8 + 1.5 \times 10^6$$

94. Subtraction Rules for scientific notation:

95.
$$8.5 \times 10^3$$

 -2.4×10^3

96.
$$7.1 \times 10^5$$

$$- 1.6 \times 10^4$$

97.
$$8.72 \times 10^{11}$$

+ 1.72×10^{10}

98.
$$4.65 \times 10^{14}$$

- 2.25×10^{15}

99.
$$6.02 \times 10^{23}$$


 $\times 1.50 \times 10^{2}$


100.
$$(9.05 \times 10^{19}) \div (3.2 \times 10^{16}) =$$

PRACTICE MATH for measurement. Do all of these in PENCIL please.

101. Convert 2450 mL into gallons. Show all units (3 SF) (1.06 Qt = 1 L)

102. How many millimeters are in 1000. yards? Put answer into scientific notation.





110. Do what the math says to do:
$$(3.5 \times 10^6) \times (2.0 \times 10^2) =$$

$$(8.0 \times 10^8) \div (4.0 \times 10^{12}) =$$

$$(3.3 \times 10^8) + (1.2 \times 10^7) =$$

$$(5.64 \times 10^5) - (2.33 \times 10^4) =$$

111. Look up the boiling point of aluminum, covert that into scientific notation. Also, convert the Kelvin into centigrade. (watch out for SF!)